

XEROX®

Vending Solutions

Technology | Document Management | Consulting Services

Copies that count.

Vending solutions for every need.



Winning Vending Solutions.

Provide convenient copying in your environment with a Xerox digital copier and vending solution. Our reliable, customer-friendly devices not only offer a valuable service to your patrons, they also open a new revenue stream for you.

It's a win-win for everyone.

Customizable

Whether you're a library, university bookstore or pay-for-print store, Xerox has a vend station to meet your needs. Choose the combination that best suits your environment.

Vend Station Options

- Coin or Coin / Bill Vend Station enables users to pay for copies with coins and bills.
- Already have a Vend Station? We offer a separate mounting kit that you can use to attach your Vend Station to your Xerox copier.

Install your Vend Station onto one of the following Xerox digital copiers:

- **CopyCentre® C118:** copying up to 18 ppm, letter / legal / 11 x 17 in.
- **CopyCentre® C123:** copying up to 23 ppm, letter / legal / 11 x 17 in.

When attached to a compatible Xerox digital copier, the vend station provides easy, self-service, pay-per-copy transactions for your customers.

Bill acceptor accepts \$1, \$5, \$10 and \$20 bills, both old and new.



Valuable Revenue

New customers and new revenue. You can expect both with a Xerox copier and vend station. You can even set up your vend station with four different pricing levels:

- 8.5 x 11 in.
- Reduce/Enlarge to 8.5 x 11 in.
- 11 x 17 in.
- Reduce/Enlarge to 11 x 17 in.

Customer Friendly

Intuitive and easy-to-use, Xerox copiers and vend systems provide patrons fast, no-hassle walk-up copying.

Reliable

Foot traffic encouraged. Rest assured that all Xerox devices can stand up to the everyday wear and tear of a public-access setting.

Excellent Quality

Image quality assured. Our devices enable users to copy documents quickly and with brilliant looking results.

Single-Source Service

One call to one source is all it takes. With a Xerox copier and Vend Station you don't have to contact multiple vendors for installation or customer service.


Secure

A locking system prevents access to all paper trays and helps you protect your paper investment.

Foreign Interface enables the
easy hook-up of your copier
to your Vend Station
(located on back of machine)

Coin acceptor
accepts 5¢,
10¢, 25¢ and
\$1 coins.

Locking System
ensures that
only employees
can add or
remove paper.
This prevents
patrons from
taking paper
for tasks other
than copying.





- ❶ Platen Cover
- ❷ Base Unit with One 250-sheet Tray
- ❸ Additional three paper trays increase capacity to 1,850 sheets

	CopyCentre® C118
Speed	Up to 18 ppm
Duty Cycle	Up to 50,000 pages per month
First-copy-out time	As fast as 7.4 seconds
Paper Handling	
Paper input	250-sheet Tray, 100-sheet Bypass Tray, Three 500-sheet Trays (Total 1,850 sheets)
Paper output	250 sheets
Power	110 – 127 VAC, 50/60 Hz or 220 – 240 VAC, 50/60 Hz
Physical Dimensions (W x D x H)	
Base Unit with One Plus Two Tray Option with DADF	25 x 20.3 x 41.5 in (640 x 520 x 1065 mm)
Supplies (Approximate Yields)	
	Toner Starter Kit (9,000 images*)
	Replacement Kit (11,000 images)
	Drum Cartridge (60,000 images*)



- ❶ Platen Cover
- ❷ Base Unit with 2 x 500 sheets and 100 sheet bypass tray
- ❸ Two trays and 1,000 sheets added capacity

	CopyCentre® C123
Speed	Up to 23 ppm
Duty Cycle	Up to 75,000 pages per month
First-copy-out time	As fast as 4.5 seconds
Paper Handling	
Paper input	Four 500-sheet Trays, 100-sheet Bypass Tray (Total 2,100 sheets)
Paper output	500 sheets
Power	110 VAC, 50/60 Hz or 220 VAC, 50/60 Hz
Physical Dimensions (W x D x H)	
Base Unit (bypass tray closed)	25.2 x 25.5 x 43.8 in (670 x 649 x 1,112 mm)
Base Unit with Finisher (bypass tray open)	60.5 x 26.3 x 43.8 in (1537 x 668 x 1,112 mm)
Supplies (Approximate Yields)	
	Toner Starter Kit (11,000 images*)
	Replacement Kit (30,000 images)
	Drum Cartridge (60,000 images*)

* Capacities are approximate, based on 5% coverage on a letter/A4-sized page and dependent on customer job mode run length.