# Using the printer driver's options

Use the following dialog boxes to select printing options:

■ **Printer Setup** dialog box

■ **Options** dialog box

■ **Tektronix Printer Features** dialog box

Making selections in the Printer Setup dialog box

To reach the **Printer Setup** dialog box without running an application, open the **Control Panel**, double-click on the **Printers** icon, then click the **Setup** button. Make printer selections in the fields described in the following table.


Printer Setup dialog box options

Dialog box options	Option description
Paper Source	Select a paper source from the pop-up menu.
Paper Size	Select a paper size from the pop-up menu.
Orientation	Select one of the following options to determine how an image is placed on the paper: ■ **Portrait** (vertical) ■ **Landscape** (horizontal)
Copies	Type in the number of copies (prints) you want. (You may want to set the number of copies from your application because the number of copies in the **Printer Setup** dialog box remains the same until you change it again.) If you are printing multiple copies, make sure the **Transmission Retry** is set for at least 600 seconds (10 minutes).

Making selections in the Options dialog box

From the **Printer Setup** dialog box, click the **Options** button to open the **Options** dialog box. Refer to your Microsoft Windows documentation for details on the options in this dialog box. Make printer selections in the fields described in the following table.

```
┌─────────────────────────────────────────────────────┐
│  ─                    Options                        │
├─────────────────────────────────────────────────────┤
│ ┌─Print To──────────────────────────┐  ┌──────────┐ │
│ │ ⦿ Printer                         │  │   OK     │ │
│ │ ○ Encapsulated PostScript File   │  └──────────┘ │
│ │   Name: [                      ]  │  ┌──────────┐ │
│ │                                   │  │  Cancel  │ │
│ │                                   │  └──────────┘ │
│ │                                   │  ┌──────────┐ │
│ ┌─Margins──────┐  Scaling (%) [100] │  │ Advanced.│ │
│ │ ⦿ Default    │                    │  └──────────┘ │
│ │ ○ None       │  ⊠ Color          │  ┌──────────┐ │
│ └──────────────┘                    │  │Send Header│ │
│                                     │  └──────────┘ │
│ ⊠ Send Header with Each Job        │  ┌──────────┐ │
│                                     │  │  Help    │ │
│                                     │  └──────────┘ │
│                                     │  ┌──────────┐ │
│                                     │  │Printer Features│ │
│                                     │  └──────────┘ │
└─────────────────────────────────────────────────────┘
```

Options dialog box options

Dialog box options	Option descriptions
Print To	Select one of the following options: ■ **Printer** ■ Encapsulated PostScript File (This option generates an EPS graphic that can be imported into other applications. This option does not create a printable file. Use the FILE port to print to a file.)
Scaling	Type in a percentage value to scale the printed image.
Margins	Select one of the following options: ■ Default ■ None
Color	Check this box **on** to print in color.
Send Header with Each Job	This box must be checked **on**. (The header contains important PostScript information that must accompany each print job; it is **not** a banner page printed with each job. If this box is not checked, an error message is displayed on your computer screen and your job does not print.)
Printer Features button	Choose this button to open the **Tektronix Printer Features** dialog box.

Making selections in the Tektronix Printer Features dialog box

From the **Options** dialog box, click the **Printer Features** button to open the **Tektronix Printer Features** dialog box. Make printer selections in the fields described in the following table.

```
┌──────────────────────────────────────────────────────────┐
│              Tektronix Printer Features                  │
├──────────────────────────────────────────────────────────┤
│  Color Correction:    ┌──────────────────┬─┐  ┌──────────┐│
│                       │ Vivid Color      │▼│  │   OK     ││
│                       └──────────────────┴─┘  └──────────┘│
│  Print Quality:       ┌──────────────────┬─┐  ┌──────────┐│
│                       │ Standard         │▼│  │  Cancel  ││
│                       └──────────────────┴─┘  └──────────┘│
│  ☒ Output Face Up?                             ┌──────────┐│
│                                                │ Help...  ││
│                                                └──────────┘│
└──────────────────────────────────────────────────────────┘
```

Tektronix Printer Features dialog box options

Dialog box options	Option description
Color Correction	Select one of the following options: ■ None ■ Vivid Color ■ Simulate Display ■ SWOP Press ■ Euroscale Press ■ Commercial Press ■ Monochrome ■ Use Printer Setting
Print Quality	Select one of the following options: ■ Fast ■ Standard ■ Enhanced
Output Face Up	To stack printouts face up, check this box. To stack printouts face down, uncheck this box.